

## SUPPLEMENTAL AMENDMENT &amp; RESPONSE UNDER 37 C.F.R. § 1.111

Serial Number: 09/096,749

Filing Date: June 12, 1998

Title: ARTIFICIAL ANTIBODY POLYPEPTIDES

Page 2

Dkt: 109.034US1

## IN THE CLAIMS

1. (Currently amended) A fibronectin type III (Fn3) polypeptide monobody comprising at least two Fn3  $\beta$ -strand domain sequences with a loop region sequence linked between each Fn3  $\beta$ -strand domain sequence,

wherein at least one monobody loop region sequence varies as compared to the wild-type (SEQ ID NO:110, Figure 2) loop region sequence by deletion of two to twelve amino acids in the loop region sequence, insertion of at least two to 25 amino acids, or replacement of at least two amino acids in the loop region sequence, and

wherein the polypeptide monobody loop region comprises at least two amino acids and binds to a specific binding partner (SBP) to form a polypeptide:SBP complex.

2. (Previously amended) The monobody of claim 1, wherein at least one loop region binds to a specific binding partner (SBP) to form a polypeptide:SBP complex having a dissociation constant of less than  $10^{-6}$  moles/liter.

3. (Cancelled)

4. (Previously amended) The monobody of claim 1, wherein a loop region comprises amino acid residues:

- i) from 15 to 16 inclusive in an AB loop;
- ii) from 22 to 30 inclusive in a BC loop;
- iii) from 39 to 45 inclusive in a CD loop;
- iv) from 51 to 55 inclusive in a DE loop;
- v) from 60 to 66 inclusive in an EF loop; or
- vi) from 76 to 87 inclusive in an FG loop.

5. (Previously amended) The monobody of claim 1, wherein the monobody loop region sequence varies from the wild-type Fn3 loop region sequence by the replacement of at

SUPPLEMENTAL AMENDMENT & RESPONSE UNDER 37 C.F.R. § 1.111  
Serial Number: 09/096,749  
Filing Date: June 12, 1998  
Title: ARTIFICIAL ANTIBODY POLYPEPTIDES

Page 3  
Dkt: 109.034US1

least two amino acids in the loop region or the deletion of two to twelve amino acids in the loop region.

5  
6.

(Previously amended) The monobody of claim 1, wherein the monobody loop region sequence varies from the wild-type Fn3 loop region sequence by the insertion of from 3 to 25 amino acids.

7-39. (Cancelled)

40.

(Currently amended) A composition comprising a fibronectin type III (Fn3) polypeptide monobody of claim 1 and a carrier.

41.

(Currently amended) A fibronectin type III (Fn3) polypeptide monobody comprising at least two Fn3  $\beta$ -strand domain sequences with a loop region sequence linked between each Fn3  $\beta$ -strand domain sequence,

wherein at least one monobody loop region sequence varies as compared to the wild-type (SEQ ID NO:110, Figure 2) loop region sequence by deletion of two to twelve amino acids in the loop region sequence and insertion of at least two to 25 amino acids in the loop region sequence, and

wherein the polypeptide monobody loop region binds to a specific binding partner (SBP) to form a polypeptide:SBP complex.